

Lecture 2



Reading a Character from the Console

```
Scanner input = new Scanner(System.in);
System.out.print("Enter a character: ");
String s = input.nextLine();
char ch = s.charAt(0);
System.out.println("The character entered is " + ch);
```



Comparing Strings


Method	Description
<code>equals(s1)</code>	Returns true if this string is equal to string <code>s1</code> .
<code>equalsIgnoreCase(s1)</code>	Returns true if this string is equal to string <code>s1</code> ; it is case insensitive.
<code>compareTo(s1)</code>	Returns an integer greater than 0, equal to 0, or less than 0 to indicate whether this string is greater than, equal to, or less than <code>s1</code> .
<code>compareToIgnoreCase(s1)</code>	Same as <code>compareTo</code> except that the comparison is case insensitive.
<code>startsWith(prefix)</code>	Returns true if this string starts with the specified prefix.
<code>endsWith(suffix)</code>	Returns true if this string ends with the specified suffix.

OrderTwoCities

Run

Obtaining Substrings

Method	Description
substring(beginIndex)	Returns this string's substring that begins with the character at the specified beginIndex and extends to the end of the string, as shown in Figure 4.2.
substring(beginIndex, endIndex)	Returns this string's substring that begins at the specified beginIndex and extends to the character at index endIndex - 1, as shown in Figure 9.6. Note that the character at endIndex is not part of the substring.




Finding a Character or a Substring in a String

Method	Description
indexOf(ch)	Returns the index of the first occurrence of ch in the string. Returns -1 if not matched.
indexOf(ch, fromIndex)	Returns the index of the first occurrence of ch after fromIndex in the string. Returns -1 if not matched.
indexOf(s)	Returns the index of the first occurrence of string s in this string. Returns -1 if not matched.
indexOf(s, fromIndex)	Returns the index of the first occurrence of string s in this string after fromIndex . Returns -1 if not matched.
lastIndexOf(ch)	Returns the index of the last occurrence of ch in the string. Returns -1 if not matched.
lastIndexOf(ch, fromIndex)	Returns the index of the last occurrence of ch before fromIndex in this string. Returns -1 if not matched.
lastIndexOf(s)	Returns the index of the last occurrence of string s . Returns -1 if not matched.
lastIndexOf(s, fromIndex)	Returns the index of the last occurrence of string s before fromIndex . Returns -1 if not matched.

Finding a Character or a Substring in a String

```
int k = s.indexOf(' ');
String firstName = s.substring(0, k);
String lastName = s.substring(k + 1);
```



Mathematical Functions

Java provides many useful methods in the **Math** class for performing common mathematical functions.



The Math Class

- Class constants:
 - PI
 - E
- Class methods:
 - Trigonometric Methods
 - Exponent Methods
 - Rounding Methods
 - min, max, abs, and random Methods



Activity

- Each table will get a Math Function
- Work as a team to look up the Math Function in Java Docs and know:
 - What do you need to put into the function to make it work?
 - What will be returned from the function?
- Report out to the class on what you found



MATH Functions



Trigonometric Methods

- `sin(double a)`
- `cos(double a)`
- `tan(double a)`
- `acos(double a)`
- `asin(double a)`
- `atan(double a)`

Radians

`toRadians(90)`

Examples:

`Math.sin(0)` returns 0.0

`Math.sin(Math.PI / 6)`
returns 0.5

`Math.sin(Math.PI / 2)`
returns 1.0

`Math.cos(0)` returns 1.0

`Math.cos(Math.PI / 6)`
returns 0.866

`Math.cos(Math.PI / 2)`
returns 0

Exponent Methods

- **exp(double a)**

Returns e raised to the power of a .

- **log(double a)**

Returns the natural logarithm of a .

- **log10(double a)**

Returns the 10-based logarithm of a .

- **pow(double a,
double b)**

Returns a raised to the power of b .

- **sqrt(double a)**

Returns the square root of a .

Examples:

`Math.exp(1) returns 2.71`

`Math.log(2.71) returns 1.0`

`Math.pow(2, 3) returns 8.0`

`Math.pow(3, 2) returns 9.0`

`Math.pow(3.5, 2.5) returns
22.91765`

`Math.sqrt(4) returns 2.0`

`Math.sqrt(10.5) returns 3.24`



Rounding Methods

- **double ceil(double x)**

x rounded up to its nearest integer. This integer is returned as a double value.

- **double floor(double x)**

x is rounded down to its nearest integer. This integer is returned as a double value.

- **int round(float x)**

Return (int) Math.floor(x+0.5).

- **long round(double x)**

Return (long) Math.floor(x+0.5).



Rounding Methods Examples

`Math.ceil(2.1)` returns 3.0

`Math.ceil(2.0)` returns 2.0

`Math.ceil(-2.0)` returns -2.0

`Math.ceil(-2.1)` returns -2.0

`Math.floor(2.1)` returns 2.0

`Math.floor(2.0)` returns 2.0

`Math.floor(-2.0)` returns -2.0

`Math.floor(-2.1)` returns -3.0

`Math.rint(2.1)` returns 2.0

`Math.rint(2.0)` returns 2.0

`Math.rint(-2.0)` returns -2.0

`Math.rint(-2.1)` returns -2.0

`Math.rint(2.5)` returns 2.0

`Math.rint(-2.5)` returns -2.0

`Math.round(2.6f)` returns 3

`Math.round(2.0)` returns 2

`Math.round(-2.0f)` returns -2

`Math.round(-2.6)` returns -3



min, max, and abs

- **max(a, b)** and
min(a, b)

Returns the maximum or minimum of two parameters.

- **abs(a)**

Returns the absolute value of the parameter.

- **random()**

Returns a random double value in the range [0.0, 1.0).

Examples:

Math.max(2, 3) returns 3

Math.max(2.5, 3) returns 3.0

**Math.min(2.5, 3.6)
returns 2.5**

Math.abs(-2) returns 2

Math.abs(-2.1) returns 2.1

The random Method

Generates a random double value greater than or equal to 0.0 and less than 1.0 ($0 \leq \text{Math.random()} < 1.0$).

Examples:

```
(int) (Math.random() * 10)
```

Returns a random integer between 0 and 9.

```
50 + (int) (Math.random() * 50)
```

Returns a random integer between 50 and 99.

In general,

```
a + Math.random() * b
```

Returns a random number between a and a + b, excluding a + b.