

## Chapter 19 Data Structures

Original slides from Gregory Byrd, North Carolina State University  
Modified slides by Chris Wilcox, Colorado State University

Copyright © The McGraw-Hill Companies, Inc. Permission required for reproduction or display.

## Data Structures

- A **data structure** is a particular organization of data in memory.
  - We want to group related items together.
  - We want to organize these data bundles in a way that is convenient to program and efficient to execute.
- An **array** is one kind of data structure.  
In this chapter, we look at two more:
  - **struct** – directly supported by C
  - **linked list** – built from **struct** and dynamic allocation

## Structures in C

- A **struct** is a mechanism for grouping together related data items of **different types**.
  - Recall that an array groups items of a single type.
  - Example: We want to represent an airborne aircraft:

```
char flightNum[7];
int altitude;
int longitude;
int latitude;
int heading;
double airSpeed;
```

- We can use a **struct** to group data fields for each plane in a single named entity.

## Defining a Struct

- We first need to define a new type for the compiler and tell it what our struct looks like.

```
struct flightType {
    char flightNum[7]; /* max 6 characters */
    int altitude; /* in meters */
    int longitude; /* in tenths of degrees */
    int latitude; /* in tenths of degrees */
    int heading; /* in tenths of degrees */
    double airSpeed; /* in km/hr */
};
```

- This tells the compiler **how big** our struct is(14 words) and how the different data items (“members”) are **laid out in memory**.
- But it does not allocate any memory.

## Declaring and Using a Struct


- To allocate memory for a struct, we declare a variable using our new data type.

```
struct flightType plane;
```

- Memory is allocated, and we can access individual members of this variable:

```
plane.airSpeed = 800.0;  
plane.altitude = 10000;
```

- A struct's members are laid out in the order specified by the definition.



## Defining and Declaring at Once

- You can both define and declare a struct at the same time.

```
struct flightType  
{  
    char flightNum[7]; /* max 6 characters */  
    int altitude; /* in meters */  
    int longitude; /* in tenths of degrees */  
    int latitude; /* in tenths of degrees */  
    int heading; /* in tenths of degrees */  
    double airSpeed; /* in km/hr */  
} maverick;
```

- And you can use flightType to declare other structs.

```
struct flightType iceMan;
```

## typedef

- C provides a way to define a data type by giving a new name to a predefined type.

### Syntax:

```
typedef <type> <name>;
```

### Examples:

```
typedef int Color;  
typedef struct flightType WeatherData;  
typedef struct ab_type {  
    int a;  
    double b;  
} ABGroup;
```

## Using typedef

- This gives us a way to make code more readable by giving application-specific names to types.

```
Color pixels[500];  
Flight plane1, plane2;
```

### Typical practice

Put typedef's into a header file, and use type names in main program. If the definition of Color/Flight changes, you might not need to change the code in your main program file.

## Generating Code for Structs


- Suppose our program starts out like this:

```
int x;
Flight plane;
int y;

plane.altitude = 0;
...
```

- LC-3 code for this assignment:

```
AND R1, R1, #0
ADD R0, R5, #-13 ; R0=plane
STR R1, R0, #7 ; 8th word
```



## Array of Structs

- Can declare an array of structs:

```
Flight planes[100];
```

- Each array element is a struct (13 words, in this case).
- To access member of a particular element:

```
planes[34].altitude = 10000;
```

- Because [] and . operators have the same precedence, and both associate left-to-right, this is the same as:

```
(planes[34]).altitude = 10000;
```

## Pointer to Struct

- We can declare and create a pointer to a struct:

```
Flight *planePtr;  
planePtr = &planes[34];
```

- To access a member of the struct addressed by pointer:

```
(*planePtr).altitude = 10000;
```

- Because the . operator has higher precedence than \*, this is **NOT** the same as:

```
*planePtr.altitude = 10000;
```

- C provides special syntax for accessing a struct member through a pointer:

```
planePtr->altitude = 10000;
```

## Passing Structs as Arguments

- Unlike an array, a struct is always **passed by value** into a function.
  - This means the struct members are copied to the function's activation record, and changes inside the function are not reflected in the calling routine's copy.
- Most of the time, you'll want to pass a **pointer** to a struct.

```
int Collide(Flight *planeA, Flight *planeB)  
{  
    if (planeA->altitude == planeB->altitude) {  
        ...  
    }  
    else  
        return 0;  
}
```

## Dynamic Allocation

- ◆ Suppose we want our weather program to handle a **variable number of planes** – as many as the user wants to enter.
  - We can't allocate an array, because we don't know the maximum number of planes that might be required.
  - Even if we do know the maximum number, it might be wasteful to allocate that much memory because most of the time only a few planes' worth of data is needed.

### Solution:

Allocate storage for data dynamically, as needed.

## malloc

- ◆ The Standard C Library provides a function for allocating memory at run-time: **malloc**.  

```
void *malloc(int numBytes);
```
- ◆ It returns a generic pointer (**void\***) to a contiguous region of memory of the requested size (in bytes).
- ◆ The bytes are allocated from a region in memory called the **heap**.
  - The run-time system keeps track of chunks of memory from the heap that have been allocated.

## Using malloc

- To use malloc, we need to know how many bytes to allocate. The **sizeof** operator asks the compiler to calculate the size of a particular type.

```
planes = malloc(n * sizeof(Flight));
```

- We also need to change the type of the return value to the proper kind of pointer – this is called “**casting.**”

```
planes =  
(Flight*) malloc(n* sizeof(Flight));
```

## Example

```
int airbornePlanes;  
Flight *planes;  
  
printf("How many planes are in the air?");  
scanf("%d", &airbornePlanes);  
  
planes =  
    (Flight*) malloc(sizeof(Flight)*airbornePlanes);  
if (planes == NULL) {  
    printf("Error in allocating the data array.\n");  
    ...  
}  
planes[0].altitude = ...
```

If allocation fails,  
malloc returns NULL.

Note: Can use array notation  
or pointer notation.



## free


- Once the data is no longer needed, it should be released back into the heap for later use.
  - This is done using the **free** function, passing it the same address that was returned by malloc.

```
void free(void*);
```

- If allocated data is not freed, the program might run out of heap memory and be unable to continue.

## The Linked List Data Structure

- A **linked list** is an ordered collection of **nodes**, each of which contains some data, connected using **pointers**.
  - Each node points to the next node in the list.
  - The first node in the list is called the **head**.
  - The last node in the list is called the **tail**.



## Linked List vs. Array

- A linked list can only be accessed **sequentially**.
- To find the 5<sup>th</sup> element, for instance, you must start from the head and follow the links through four other nodes.
- **Advantages of linked list:**
  - Dynamic size
  - Easy to add additional nodes as needed
  - Easy to add or remove nodes from the middle of the list (just add or redirect links)
- **Advantage of array:**
  - Can easily and quickly access arbitrary elements

## Example: Car Lot

- Create an inventory database for a used car lot. Support the following actions:
  - **Search** the database for a particular vehicle.
  - **Add** a new car to the database.
  - **Delete** a car from the database.
- The database must remain sorted by vehicle ID.
- Since we don't know how many cars might be on the lot at one time, we choose a linked list representation.

## Car data structure

- Each car has the following characteristics:  
vehicle ID, make, model, year, mileage, cost.
- Because it's a linked list, we also need a pointer to the next node in the list:

```
typedef struct carType Car;

struct carType {
    int vehicleID;
    char make[20];
    char model[20];
    int year;
    int mileage;
    double cost;
    Car *next; /* ptr to next car in list */
}
```


## Scanning the List

- Searching, adding, and deleting all require us to find a particular node in the list. We **scan** the list until we find a node whose ID is  $\geq$  the one we're looking for.

```
Car *ScanList(Car *head, int searchID)
{
    Car *previous, *current;
    previous = head;
    current = head->next;
    /* Traverse until ID  $\geq$  searchID */
    while ((current!=NULL)
           && (current->vehicleID < searchID)) {
        previous = current;
        current = current->next;
    }
    return previous;
}
```

## Adding a Node

- Create a new node with the proper info.  
Find the node (if any) with a greater vehicleID.  
“Splice” the new node into the list:



## Excerpts from Code to Add a Node

```


newNode = (Car*) malloc(sizeof(Car));
/* initialize node with new car info */
...
prevNode = ScanList(head, newNode->vehicleID);
nextNode = prevNode->next;

if ((nextNode == NULL)
    || (nextNode->vehicleID != newNode->vehicleID))
    prevNode->next = newNode;
    newNode->next = nextNode;
}
else {
    printf("Car already exists in database.");
    free(newNode);
}

```

## Deleting a Node

- Find the node that **points to** the desired node. Redirect that node's pointer to the next node (or NULL). Free the deleted node's memory.



## Excerpts from Code to Delete a Node

```
printf("Enter vehicle ID of car to delete:\n");
scanf("%d", &vehicleID);

prevNode = ScanList(head, vehicleID);
delNode = prevNode->next;

if ((delNode != NULL)
    && (delNode->vehicleID == vehicleID))
    prevNode->next = delNode->next;
    free(delNode);
}
else {
    printf("Vehicle not found in database.\n");
}
```

## Building on Linked Lists

- The linked list is a fundamental data structure.
  - **Dynamic**
  - **Easy to add and delete nodes**
- The concepts described here will be helpful when learning about more elaborate data structures:
  - **Trees**
  - **Hash Tables**
  - **Directed Acyclic Graphs**
  - ...